

UNIVERSITY OF Hull

Abstract classes and Interfaces


Rob Miles

Department of Computer Science

Abstraction in the Bank

- We know that there are many different kinds of accounts:
 - Current account
 - Deposit account
 - Credit card accounts
 - Baby Accounts
- A bank system must be able to handle all of these account types, plus new ones
- We have found that creating a class hierarchy is a good way to reuse code as much as possible in our solution

Accounts and Inheritance



- We know that we can make life easier with inheritance
- The child class extends the parent and adds new/different behaviours by adding methods and overriding existing ones

Abstraction

- If we “step back” from the problem we can decide that there are certain things that an account needs to be able to do:
 - Set the name of the account holder
 - Pay in funds
 - Withdraw funds
 - Read the balance
- All accounts must be able to do these things in their own way
- Exactly how they do these things will vary from one type of account, but they all need to implement the behaviours

4

Abstract Classes and Interfaces

An Abstract Account Class

```
public abstract class Account
{
    public abstract bool SetName(string NewName);
    public abstract bool PayInFunds(decimal amount);
    public abstract bool WithDrawFunds(decimal amount);
    public abstract decimal GetBalance();
}
```

- We could put all the required behaviours into an abstract class
- An abstract class is a *template* for others
- We can never make an Account instance, it just serves as the basis of other accounts

5

Abstract Classes and Interfaces

Making a Class Abstract

- When a class is made abstract you can't make an instance of it
- Instead you can extend an abstract parent class to make a child class which may not be abstract
 - We can't make an Account, but we can make a CurrentAccount
- You can make instances of the child
- It is a version of the parent template with all the methods filled in

6

Abstract Classes and Interfaces

Making a Method Abstract

- An abstract method is a placeholder
- It indicates that a child class must override this method if we want to make instances of that child class
- It does not say how the method should work, just how it is called and what it should return
- You have to make tests which ensure that the method works correctly
 - Just because a class has a method called `WithdrawFunds` doesn't mean that the method actually works

7

Abstract Classes and Interfaces

Extending an Abstract Class

- When you extend an abstract parent you must override all the abstract methods in it
 - Otherwise the child class will also be abstract
- You can think of it as filling in a template with the required methods
- The designer of the abstract class sets out the things it needs to do by specifying the abstract methods
- This means they can focus on what needs to be done, not the precise details

8

Abstract Classes and Interfaces

Class based on Account

```
public class CurrentAccount : Account
{
    public override bool SetName(string NewName)
    {
        return true;
    }

    public override bool PayInFunds(decimal amount)
    {
        return true;
    }

    // WithdrawFunds here

    // GetBalance here
}
```

9

Abstract Classes and Interfaces

Designing Using Abstract Classes

- Step back from the problem:
 - Move from `Dress` to `StockItem`
- Identify the fundamental operations and properties
 - The ones that everyone must do in the same way are not abstract
 - The ones that have to be custom for each child class are abstract
 - Making these methods abstract forces the child class to provide its own version of that behaviour

13

Abstract Classes and Interfaces

Abstract Roundup

- Abstraction lets you consider the fundamental behaviours without worrying about individual details
- It lets you provide templates which can be filled in by specific child types
 - You can't make instances of abstract classes
 - You can make an instance of a child which contains overrides of the abstract items
- You can set out behaviour requirements by making a class with a set of abstract methods, with one for each behaviour that you need
 - Then you create some tests for the behaviours

14

Abstract Classes and Interfaces



Interface Introduction

- Interfaces are important
- They let programmers work with things in terms of what the things can do, not what they are
- This is a very powerful feature of C#
- It makes possible component based oriented development

16

Abstract Classes and Interfaces

Components and Interfaces

- We want to make software out of components that fit together
- This means we have to define the "plugs and sockets" that link the components
- Then we can swap components without changing



17

Abstract Classes and Interfaces

Uses for Interfaces

- There are a whole bunch of things that users of our Account class might want to perform
 - Add a New Account
 - Delete an Existing Account
 - Find an account
- It makes sense to be able to think of a bank in terms of these abilities, rather than a particular class
- This would make bank instances interchangeable, rather than needing to be part of a particular class hierarchy

18

Abstract Classes and Interfaces

A Bank Interface

```
interface IBank
{
    string AddAccount(IAccount account);
    string DeleteAccount(IAccount account);
    IAccount FindAccountByName(string name);
}
```

- This is an *interface*
- An interface is a set of method headers
- By convention, the name of an interface always starts with the letter i

19

Abstract Classes and Interfaces

Implementing an Interface

```
class FriendlyBank : IBank
{
    public string AddAccount(IAccount account)
    {
        // code that adds an account
    }
    // same for DeleteAccount and FindAccountByName
}
```

- The `FriendlyBank` class contains implementations of all the methods described in the `IBank` interface

20

Abstract Classes and Interfaces

What is the point of interfaces?

- An interface lets us manipulate something in terms of what it can do, not what it is
- In other words I can use any object that implements the `IBank` interface as a bank, and not care how it works
- This is very powerful, and adds a lot of flexibility to the design process

21

Abstract Classes and Interfaces

Bank Merger

- Consider what happens if two banks merge
- FriendlyBank merges with NastyBank to create a new bank called StandardBank
- Our programs must work with classes from both banks
- It can do this if the classes in the banks both implement the IBank interface

22

Abstract Classes and Interfaces

Interface References

```
IBank activeBank = new FriendlyBank();
...
IAccount current = activeBank.FindAccountByName("Rob");
```

- The key to understanding interfaces is understanding references to them
- The reference activeBank above can refer to any object that implements the IBank interface
 - This could be a FriendlyBank or NastyBank instance

23

Abstract Classes and Interfaces

The IAccount Interface

```
interface IBank
{
    string AddAccount (IAccount account);
    string DeleteAccount (IAccount account);
    IAccount FindAccountByName (string name);
}
```

- If you look carefully at the description of the IBank interface you see that it uses IAccount references
- This means that I'm also managing by accounts in terms of interface references

24

Abstract Classes and Interfaces

IAccount References

- I can manage my accounts in terms of references to the IAccount interface
- This means that I can treat any object as an account, irrespective of which bank it came from
- The fact that it implements the interface means that it can be used as an account

Design with Interfaces

- Interfaces let you regard things in terms of what they can do
- As long as you know the object implements the behaviours you can use it in your system
- The interface is the pins on a building brick



Interface Roundup

- Interfaces decouple you from having to worry about particular classes at any point
- They let you work with things in terms of their abilities, not what they actually are
- They allow classes to bring together multiple behaviours
- They are another form of abstraction
