

INDEX

SYMBOLS

- `$()` shortcut for `jQuery()` function 296, 299, 313, 361
- `$()` conflicts with other scripts that use `$()` 361
- `$(document).ready(function(){...})` 312
- `$(function(){...})` (shortcut) 313, 364-5
- `$(this)` 324, 549
- `[]` Array syntax 72
- `[]` Accessing an object's properties 103
- `{}` Code blocks 57
- `{}` Code block (function) 90
- `()` Final parentheses (calling a function) 97
- `()` Grouping operator 97
- `=` Assignment operator 107
- `+=` Operator (adding to a string) 111, 125
- `==` Equal to (comparison operator) 150, 168
- `===` Strict equal to (comparison operator) 150, 168
- `!=` Not equal to (comparison operator) 150, 168
- `!==` Strict not equal to (comparison operator) 150, 168
- `>` Greater than (comparison operator) 151
- `>=` Greater than or equal to (comparison operator) 151
- `<` Less than (comparison operator) 151
- `<=` Less than or equal to (comparison operator) 151
- `&&` Logical and (logical operators) 157, 158, 537
- `!` Logical not (logical operators) 157, 159
- `||` Logical or (logical operators) 157, 159, 169
- `.` Member operator 50, 103
- `//` (No http: in a url) 355

A

- `.abort()` method (jqXHR object) 389
- Accessibility 46, 491
- Accordion 430, 492-5, 522-5
- `.accordion()` (jQuery UI method) 430
- action (DOM property - forms) 572
- `add()` (option to select box) 584
- `.add()` (jQuery method) 531
- `.addClass()` (jQuery method) 320, 498, 512-3, 519, 565
- `addEventListener()` (DOM method) 254-5, 570-1
- Adding or removing HTML Content
 - Comparing techniques 226-7
 - innerHTML & DOM manipulation 218-225, 240-1
 - Using jQuery 314-9, 346-7

- Addition 76-7, 181
- `.after()` (jQuery method) 318-9
- Age verification 617-9
- Ajax
 - Introduction to 370-3
 - Data formats
 - HTML 374, 378-9, 390-1
 - JSON 374, 376-7, 382-3, 396-7
 - XML 374-5, 380-1
 - Forms 394-5
 - `.serialize()` (jQuery method) 394
 - jqXHR object (see J > jqXHR object)
 - JSON object (see J > JSON > JSON object)
 - Relative URLs 389
 - Requests (loading data):
 - CORS (Cross Origin Resource Sharing) 384
 - HTML 378-9
 - HTML (jQuery) 390-1, 393
 - JSON 382-3
 - JSON/JSONP from a remote server 385-8
 - Proxy for loading remote content 384
 - XML 380-1
 - jQuery 388-9, 392-3
 - `.load()` 390-1, 407, 427
 - `$.ajax()` 388, 398-9, 405
 - `$.get()` 392-3
 - `$.getJSON()` 392, 396-7
 - `$.getScript()` 392
 - `$.post()` 392, 394-5
 - Responses 373-391
 - Update URL 424-7
 - URLs (maintaining) 424-7
 - XMLHttpRequest object
 - Methods
 - `open()`, `send()` 372-3
 - Properties
 - `responseText` 379, 383, 389
 - `responseXML` 380-2, 389
 - `status` 373, 378-9, 389
 - XDomainRequest object (IE8-9) 384
- Alert box 125
- `alert()` (window object) 124-5
- `.always()` (jqXHR object) 389, 396-7
- AngularJS 428, 434-9
- `.animate()` (jQuery method) 332, 334-5, 352-3, 493, 515, 520-1
- Anonymous functions 88, 96

APIs

Introduction to 410, 412

API Keys 441

Console API 470

HTML5 APIs 413

Geolocation API 416-9

History API 424-7

Web Storage API 420-3

Platform APIs 440

Google Maps API 441-7

Scripts

Introduction to 428

AngularJS 434-9

jQuery UI 429-433

`.append()` (jQuery method) 318, 565

`.appendTo()` (jQuery method) 318, 505, 519

`appendChild()` (DOM method) 222, 240

Arguments 93, 109

Arithmetic operators 76-7

Arrays

Introduction to 70-3

Adding and removing items 530, 536-7, 540-3

Creating 72

`split()` method (String object)

to create arrays 128-130, 546-7, 563, 618-9

Looping through an array 174-5, 535

Methods

`concat()` 530

`every()` 530

`filter()` 530, 536-7

`forEach()` 530, 536-7

`map()` 530

`pop()` 530

`push()` 530, 536-7, 540-3

`reverse()` 530, 564-5

`shift()` 530

`some()` 530

`sort()` 530, 554-9, 564-5

`unshift()` 530

Properties

`length` property 72, 118-9

Arrays and objects

Arrays are objects 118-9

Array-like objects (jQuery) 308, 340

Arrays of objects 119, 533-5

Multiple return values from a function 95

vs variables and objects 116-7

Assignment operator 61, 107

Asynchronous loading (images) 509

Asynchronous processing 371

`attachEvent()` (IE8 event model) 255, 258-9, 570-1

Cross-browser solution 570-1

Attributes

`.attr()` (jQuery method) 320-1

Creating / removing (DOM method) 232-5

Autocomplete (live search) 370

B

`back()` (history object) 426

`.before()` (jQuery method) 318

`beforeunload` event 286-7

Behavior layer 44

Binding events 248, 250

`blur()` (DOM method) 573

`blur` event 247, 274-5, 282, 573, 588-9

Boolean data type 62, 66

`break` keyword 174

Browsers

Developer tools

Debugging 464-7

Examining DOM 236-7

Dimensions 124-5, 350

Feature detection (see F > Feature detection)

JavaScript console 464-79 (see also C > Console)

Rendering engine 40

Scrollbars 350

Support in examples 10

Browser Object Model

Introduction to 121-2

history object 122, 124-5, 424-7

location object 122

navigator object 122

screen object 122, 124-5

window object 122, 124-5

Bubbling (event flow) 260-1

Built-in objects 120-7

`:button` (jQuery selector) 342

C

Caching

- Cross-references 540-1
- DOM queries 190-1, 575
- Images (in custom object) 509-511
- jQuery selections 308-9, 540-1
- Object references 540-1

Calling a function 91

cancelable property (event object) 262

Capturing (event flow) 260-1

Case sensitivity 56

catch (error handling) 480-1, 576-7

CDN 354-5

ceil() (Math object) 134

Centering images 511

Chaining (jQuery methods) 311

change event 247, 282, 573, 576-7, 586-7

Character count 588-9

charAt() (String object) 128-130

Checkboxes 580-1

- :checkbox (jQuery selector) 342
- :checked (jQuery selector) 342
- checked (DOM property - forms) 573, 580-1

.children() (jQuery method) 336

clearTimeout() (window object) 517-9

.click() (jQuery method) 512-3

click() (DOM method) 573

click event 39, 246, 276-7, 573

clientX, clientY (event object) 278-9

.clone() (jQuery method) 346-7

.closest() (jQuery method) 336

Code blocks 56, 90

Code dependencies 616

Code reuse 616

Collections

- elements (nodeLists) 196-9
- elements (form) 572, 600

Color picker 591

Comments 57

Compare functions (sorting) 555-9

Comparison operators 150-9

- Checking equality 168
- Comparing expressions 154-5
- Operands 152
- Truthy and falsy values 167

concat() (array object) 530

Conditional loading 596-7

Conditional statements 149

- if 160-1, 181
- if... else 162-3
- switch 164-5, 291

Conditions (loops) 170-1

Console

- Breakpoints 476-8
- console.assert() 475
- console.error() 472
- console.group() 473
- console.groupEnd() 473
- console.info() 472
- console.log() 470-1
- console.table() 474
- console.warn() 472
- debugger keyword 479

Constructor notation 106-111, 113

:contains() (jQuery selector) 338

Content layer 44

Content panels

- Accordion 492-5, 522-5
- Modal window 500-5
- Photo viewer 506-513
- Slider 515-520
- Tabs 496-9

continue keyword 174, 594-5

Coordinates (geolocation API) 417-9

copy event 247

CORS (Cross Origin Resource Sharing) 384

Create attributes (DOM) 234

Create elements (DOM) 126, 222-3, 240

Create text nodes (DOM) 126, 222-3, 240

Cross-Site Scripting (XSS) Attacks 228-231

.css() (jQuery method) 322-3, 504-5, 510-1, 521

CSS

- Box dimensions 348
- CSS-style selectors in jQuery 302-3
- Properties and values 9
- Selectors to find elements (DOM) 193, 197, 202
- Updating class names 189, 195, 232
- Updating id attributes 189, 232
- Updating styles (DOM) 195, 232
- Updating styles (jQuery) 320-3, 497-9

Cut, copy, paste element (jQuery) 346-7

cut event 247

D

- `.data()` (jQuery method) 546-7, 565, 602, 608-9
- `data-*` attributes (HTML5) 289-90, 544-6, 608
- Data binding (Angular) 437
- Data models
 - Introduction to* 26-7
 - Comparing techniques 116-7
 - Arrays and objects 118-9, 533
 - Objects and properties 28, 102-5, 142
- Data types
 - Complex data types
 - Objects (Arrays and functions) 131
 - Simple (primitive) data types
 - Boolean 62, 131, 167
 - Number 62, 131-5
 - Null 131
 - String 62, 128-130, 131
 - Undefined 131
 - Type coercion and weak typing 166-7
- Dates / Date object
 - Introduction to* 136-9
 - Comparing 618-9
 - Creating / Constructor 136, 138, 143
 - Date formats 136-9
 - Date pickers 432-3, 591, 618-9
 - Day & month names 137, 143
 - Difference between two dates 139, 143
 - Sorting 559, 562-3
 - Methods
 - `getTime()`, `getMilliseconds()`, `getSeconds()`,
`getMinutes()`, `getHours()`, `getDate()`, `getDay()`,
`getMonth()`, `getFullYear()`,
`getTimezoneOffset()` 137
 - `setTime()`, `setMilliseconds()`, `setSeconds()`,
`setMinutes()`, `setHours()`, `setDate()`,
`setMonth()`, `setFullYear()`, `toString()`,
`toTimeString()`, `toDateString()` 137
- `dblclick` event 246
- Debugging
 - Errors and a debugging workflow 462-3
 - Tips 484
 - (*see also* Console and Troubleshooting)
- Declare a variable 60-1
- Declaring an array 71-3
- Declaring a function 90, 92
- `defaultChecked` (DOM property - forms) 573
- `defaultValue` (DOM property - forms) 573

Delays

- `clearTimeout()` 517-9
- `.delay()` (jQuery method) 311, 332-3, 364
- `setTimeout()` 517-9
- Delegating events 266-70, 290-1, 331
- `delete` keyword 107, 112, 533
- Deserializing JSON data 382-3
- Design patterns 501
- `.detach()` (jQuery method) 346, 502-3, 505
- Developer tools 236-7, 464-5
- `:disabled` (jQuery selector) 342
- `disabled` (DOM property - forms) 573, 578
- `disabled` (JavaScript is disabled) 491
- document object
 - Introduction to* 36-9, 123, 126-7
 - Events
 - `load` 39, 246, 272-3
 - Methods
 - `getElementById()` 39, 126, 193-195
 - `createElement()`, `createTextNode()` 126, 222-3
 - `querySelectorAll()` 126, 193, 197, 202, 204-5
 - `write()` 39, 49, 126, 226
 - Properties
 - `domain` 126
 - `lastModified` 36, 39, 126-7
 - `title` 36, 39, 126-7
 - URL 126-7
- DOMContentLoaded event 286-7
- DOM (document object model)
 - Introduction to* 121, 126-7, 184, 186-7
 - Elements
 - Accessing
 - `getElementById()` 193-5
 - `getElementsByClassName()` 193, 197-9, 200
 - `getElementsByTagName()` 193, 197, 201
 - `querySelector()` 193-4, 202-3
 - `querySelectorAll()` 193, 197, 202-3, 204-5
 - Adding
 - `appendChild()` 222-3
 - `insertBefore()` 222, 240
 - Creating
 - `createElement()` 222-3
 - Updating
 - DOM manipulation 219, 222-5, 227
 - `innerHTML` 218, 220-1, 227, 228-31
 - `textContent` and `innerText` 216

- Attributes
 - class attribute/className property 195, 232
 - getting and updating 232-5
 - id property 232
- Text nodes
 - createTextNode() 222
 - nodeValue 214-5
 - textContent and innerText 216-7
- Document nodes 186
- document object (see D > document object)
- DOM queries
 - Performance (fastest route) 192
 - Caching DOM queries 190-1, 575
- DOM tree
 - Introduction to 40-1, 186-7
 - Inspecting (exploring - browser tools) 236-7
 - Traversing the DOM 208, 210-11
 - Updating 212-3
- Events (see E > Events)
 - Event handlers 250, 252-3
 - Event listeners 250, 254-5, 263, 265
- Nodes 40, 186-9
 - Whitespace 209-211
- NodeList 192, 196-9, 202-205
 - length property 196
 - Live and static NodeLists 196
 - Looping through 204-5
 - Selecting items from a NodeList 198-9
- .done() (jqXHR object) 389, 405
- Dot notation 103 (see also member operator)
- Do while loops 170, 177
- Drop-down boxes 584-7
- DRY principle (don't repeat yourself) 616
- Dynamic filtering 538-43

E

- .each() (jQuery method) 324-5, 333, 339, 498-9, 519, 531, 546-7
- ECMAScript 532
- Elements (see D > DOM > Elements and J > jQuery)
 - Dimensions (jQuery) 348-9
 - Finding elements (DOM) 192-203
 - Finding elements (jQuery) 296, 302-3, 336, 342
 - Form element content (jQuery) 342-5
 - Hiding/showing 332-3, 582-3, 618-9
 - Inserting new elements (jQuery) 318-9

- Updating elements (DOM) 212-3
- Updating elements (jQuery) 313
- elements collection (DOM property) 572, 574-5
- .empty() (jQuery method) 346, 504-5
- :enabled (jQuery selector) 342
- .eq() (jQuery method) 340-1, 512-3, 521
- Equality 150-1, 168
- equals sign (assignment operator) 61
- Errors
 - Common errors 460-1, 485
 - Debugging workflow 462-3 (and tips 484-5)
 - error event 246, 272
 - Error handling 480-1, 576-7
 - Error objects 459, 461, 481
 - EvalError 459-460
 - RangeError 459, 461
 - ReferenceError 459-60
 - SyntaxError 459-60
 - TypeError 459, 461
 - URIError 459-60
 - Exceptions 458, 480-1
 - NaN 461
 - Understanding errors 458
- e (shorthand: event or error object) 328
- EvalError 459-460
- Evaluating conditions 149-59
- Events
 - Introduction to 5, 30-31, 244-50
 - All events
 - beforeunload 286-7
 - blur 247, 274-5, 282
 - change 282-3, 586-7
 - click 260-1, 268-9, 276-7
 - dblclick 246, 276
 - DOMContentLoaded 286-7
 - DOMNodeInserted 284, 285
 - DOMNodeInsertedIntoDocument 284
 - DOMNodeRemoved 284
 - DOMNodeRemovedFromDocument 284
 - DOMSubtreeModified 284
 - error 246, 272
 - focus 274-5, 282, 588-9, 594-5
 - focusin 274
 - focusout 274
 - hashchange 286, 426-7
 - input 247, 271, 280-2, 552-3, 573, 588-9

Events continued.

- keydown 280
- keypress 280-1
- keyup 280
- load 39, 246, 272-3
- mousedown 276
- mousemove 276, 279
- mouseout 276
- mouseover 276
- mouseup 276
- resize 272, 504-5
- scroll 272
- submit 282-3, 572, 574-5
- unload 272

binding 248, 250

Delegation (DOM) 266, 268-71, 290-1

Delegation (jQuery) 330-1, 365

Determining position 278-9

Event flow (bubbling and capturing) 260-1

Event handlers

- Cross browser 570-1
- DOM Event handlers 250, 252-3
- DOM Event listeners 250, 254-5
 - Removing event listeners 255
 - Using parameters with events 256-7, 263
- HTML event handlers 250-1

event object DOM 262-3, 265-70

Methods

- preventDefault() 262, 267, 283
- stopPropagation() 262, 267

Properties

- cancelable, clientX, clientY, pageX, pageY, screenX, screenY, target, type 262, 278-9

event object (jQuery) 328-9, 331

Methods

- .preventDefault() 328
- .stopPropagation() 328

Properties

- data, pageX, pageY, target, timeStamp, type, which 328

IE8 event model

- attachEvent() 255, 258-9, 290
- Cross-browser helper function 570-1
- event object 264-5, 570-1
 - Property and method equivalents 262
- Fallback example 258-9
- jQuery (consider as alternative) 300-1

- jQuery events 326-331, 343
- Performance (delegation) 266, 268-9, 290, 331
- Terminology (fired, raised, triggered) 247
- Types of event 246-7, 271
 - W3C DOM 271-286
 - HTML5 286-7
 - jQuery events 326-331, 343-5
 - Which element user interacted with 262-70

every() (array object) 530

Exceptions (see Errors)

Execution contexts 453-6

Expressions 74-6

- Comparing expressions 154
- Function expressions 96-7

F

- .fadeIn() (jQuery method) 298, 311, 332-7, 365
- .fadeOut() (jQuery method) 332-3, 337, 510-11
- .fadeTo() (jQuery method) 510-11
- .fail() method (jqXHR object) 389, 396-7, 405

Falsy and truthy values 167-9

Feature detection

- Feature detection (in jQuery) 301
- Modernizr 414-5, 417, 419, 593, 596-7

:file (jQuery selector) 342

File extension

- .js 46
- .min.js 298

Filtering

- Introduction to 534
- filter() (array object) 530, 536-7
- .filter() (jQuery method) 338-9, 343, 531, 548-9
- Tags 544-9
- Text / live search 550-3

finally (error handling) 480-1

Final parentheses 97

.find() (jQuery method) 336-7, 518-9, 564-5

Firebug 237

firstChild (DOM property) 188-9, 208-9, 211

Flags 578-9

floor() (Math object) 134-5, 139

Flowcharts 18, 23, 148, 494

fn object (jQuery) 523-5

focus() (DOM method) 273, 573

- .focus() (jQuery method) 326, 619
- :focus (jQuery selector) 342

focus event 274-5, 282, 573, 588-9
focusin event 247
focusout event 247
forEach() (array object) 530, 536-7, 542-3
for loop 172-3, 175, 207

Forms

Controls (types of) 573
 Changing type of form control 576-7
 Checkboxes 580-1
 Date picker (HTML5) 591
 Date picker (jQuery) 432-3, 619-9
 Email 590, 611
 Radio buttons 582-3
 Range inputs 591
 Select boxes 584-7
 Submit button 578-9
 Text input 576-7, 594-5
 Textareas 588-9

elements collection 600

Enhancement

Introduction to 568
 jQuery UI (Date picker & slider) 432-3
 Password length and match 620-1
 Show or hide based on other form input 618-9
Giving focus to an element 273, 326, 573, 619
Methods 343, 572-3, 584
Properties 343, 572-3, 584
Submitting forms 574-5, 578-9
Validation 282, 598-619

Introduction to 568, 598
 Age 617-9
 Character count 588-9
 Checkbox selected 580-1
 Checking for a value 606-7
 Checking length of text input 615
 Dates 617-9
 Email 611
 HTML5 form validation 590-1, 604-5
 Length of text/password input 588-9, 620-1
 Numbers 132, 343
 Password length and match 615
 Radio button selected 582-3
 Regular expressions 612-3
 Required elements 606-7
 test() and regular expressions 611-3
 Turn off HTML5 validation 591
 URL 590

Which element the user interacted with 576-7
 (*see also* Event object)

forward() (history object) 426

Function-level scope 98

Functions

Introduction to 88-9
 Anonymous functions 88
 Arguments 92-3
 Calling 91, 93
 Code block 90
 Declaring 90, 92, 96
 Final parentheses 97
 Function expressions 96-7
 Helper functions 570-571
 initialize / init() 539, 542-3
 Parameters 88, 92-3
 return 92, 94-7, 578-9, 586-7, 594-5
 this (scope of keyword) 270
 (*see also* this keyword)

G

Geolocation API 416-9
\$.get() (jQuery method) 388, 392-3
getAttribute() (DOM method) 232-3
getCurrentPosition() (Geolocation API) 417-9
getDate() (Date object) 137
getDay() (Date object) 137
getElementById() (DOM method) 126, 192-5
getElementsByClassName() (DOM method) 193,
 197, 200
getElementsByTagName() (DOM method) 193, 197,
 201, 240
getFullYear() (Date object) 137-8
getHours() (Date object) 137
getItem() (storage API) 421-3
\$.getJSON() (jQuery method) 388, 392, 396-7, 405
getMilliseconds() (Date object) 137
getMinutes() (Date object) 137
getMonth() (Date object) 137
\$.getScript() (jQuery method) 388, 392
getSeconds() (Date object) 137
getTime() (Date object) 137
getTimezoneOffset() (Date object) 137

Global JavaScript Objects

Introduction to 121, 124-139

Boolean object 123

Date object 123, 136-9

Math object 123, 134-5

Number object 123, 132-3

Regex object 123

String object 123, 128-130

Global scope 98

go() (history object) 426

Google Maps API 441-7

Grouping operator 97

:gt() (jQuery selector) 340-1

H

:has() (jQuery selector) 338-9

hasAttribute() (DOM method) 232-3, 235

.hasClass() (jQuery method) 365

hashchange event 286, 426-7

.height() (jQuery methods) 348-9, 350, 353

height (screen object) 124-5

Helper functions 570-571

.hide() (jQuery method) 332-3, 512-3, 582-3, 618-9

History API 424-7

history object (Browser Object Model) 124-5, 424-7

Methods

back(), forward(), go(),

pushState(), replaceState() 426

Properties

length 426

History stack 424

Hoisting 456

How many characters in a string 128-130

.html() (jQuery method) 314-7

HTML5

APIs 413

Geolocation API 416-9

History API 424-7

Web Storage API 420-3

Attributes

data-* attributes 289-90, 544-6, 608

required 591, 607

Events 286-7

Form controls (support, polyfills, styling) 590-2

placeholder fallback 594-7

id (DOM property) 189, 232

if... else 148-9, 162-3

if statements 148-9, 160-3, 181

:image (jQuery selector) 342

Images centering 511

Immediately Invoked Function Expressions (IIFE) 97, 142, 504, 523

Implicit iteration 310

Increment in loops 170-3

.index() (jQuery method) 565

Index numbers 129

indexOf() (String object) 128-130, 550-3

Initialize / init() (functions) 539, 542-3

Inline scripts 49

.innerHeight() (jQuery methods) 348

innerHeight (window object) 124-5

innerHTML (DOM property) 218, 220-1, 227
Security risks 228

innerText (DOM property) 216-7

.innerWidth() (jQuery methods) 348

innerWidth (window object) 124-5

:input (jQuery selector) 342

input event 247, 271, 280-2, 552-3, 573, 588-9

insertBefore() (DOM method) 240

Instances (of objects) 109-11

Interpreter

Definition 40

How it works 452-7

.is() (jQuery method) 343, 521, 565

isNaN() (Number object) 132

\$.isNumeric() 343

item() (Array) 71

item() (NodeLists) 196, 198

J

JavaScript console 462-79

JavaScript History / Standards 532

JavaScript libraries 360-1, 428

JavaScript not enabled 491

jQuery

Introduction to 294, 296, 298-9

\$() shortcut for jQuery() 296, 299, 313, 361

\$(function() { ... }); 313

Advantages 300

Ajax (see Ajax)

- API 358
- Caching selections 308-9
- Chaining methods 311
- Conflicts with other scripts 361
- `document.ready()` 312-13
- Documentation 358
- Elements 302-3, 314-6, 318-9, 336-9, 342-7
- Events object 326-331
 - `.fn` object 523-5
- Forms (`.serialize()`) 394
- Global methods
 - `$.ajax()` 388, 398-9, 405
 - `$.get()` 388, 392-3
 - `$.getJSON()` 388, 392, 396-7, 405
 - `$.getScript()` 388
 - `$.isNumeric()` 343
 - `$.post()` 388, 394-5
- How to include 298, 354-5
- Implicit iteration 310
- `jQuery()` function (see also `$()`) 296, 299, 313, 361

jQuery methods: full list of methods 304-5

- jQuery selection (matched set) 296-7, 306
 - Adding to / filtering selection 338-341
 - Caching 308-9
 - Number of elements (`length` property) 364
- jQuery selectors 296, 300, 302-3

jQuery Selectors: full list of selectors 302-3

- jQuery UI 429
 - Accordion 430
 - Date picker 432-33, 618-9
 - Form enhancements 432-3
 - Tabs 431
- Looping
 - Through elements (implicit iteration) 310
 - Through elements `.each()` (see E > `.each()`)
- Matched set (see J > jQuery > jQuery selection)
- Page is ready to work with 312-3
- Plugins 359, 428
 - Creating your own 522-5
 - Date picker 619
 - jQuery UI 429-434, 618-9
 - noUISlider 538
- Versions 298, 301
- Where to get / download 298, 354-5

- Where to place script 313, 354-7
- `jqXHR` object 389, 405
 - Methods
 - `.abort()`, `.always()`,
`.done()`, `.fail()` 389, 396-7
 - `.overrideMimeType()` 405
 - Properties
 - `responseText`, `responseXML`,
`status`, `statusText` 389
- JSON
 - Introduction to 376-7
 - As an Ajax data format 374
 - Debugging JSON 474
 - Displaying JSON 382-3
 - JSON object
 - `parse()` & `stringify()` methods 377, 382-3
 - Serializing and deserializing data 382-3
- JSONP 385-7

K

- Keyboard events 246-7, 280-1
- `keydown`, `keypress`, `keyup`, `input` event 246-7
- keys (objects) 101, 533, key/value pairs 118
- Keywords
 - `break` 164-5, 174
 - `case` 164-5
 - `catch` 480-1, 576-7
 - `continue` 174, 595
 - `debugger` 479
 - `delete` 107, 112, 533
 - `finally` 480-1
 - `new (array)` 71
 - `new (object)` 106, 109
 - `return` 92, 94-7, 578-9, 586-7, 594-5
 - `switch` 164-5
 - `this` 102-9, 114-5, 270, 324
 - `throw` 482
 - `try` 480-1, 576-7
 - `var` 60, 63-8

L

- `lastChild` (DOM property) 208, 211
- `lastIndexOf()` (String object) 128-130
- `length` (history object) 124, 426
- `length` (items in a select box) 584
- `length` (String object) 128-130, 588-9, 620-1

- Length of text input 588-9
- Lexical scope 457
- Lexicographic sort 554
- Libraries 360-1, 428
- Linking to a JavaScript file 47, 51, 298, 313, 354-7
- Links
 - Get value of href attribute 407
 - Which link was clicked 498-9
- Literal notation 102, 104-5, 113, 142
 - (see also O > Objects > Creating your own objects)
- Livesearch (autocomplete) 370
- Load event 246, 272-3, 286-7
- .load() (jQuery method - Ajax) 388, 390-1, 407
- Local scope 98-9 (see also p456-7)
- Locale 137
- localStorage 420-3
- Location property (window object) 124-5
- Logical operators 156-9, 169
 - Logical and 157-8, 537
 - Logical not 157, 159
 - Logical OR 157, 159
 - Short-circuit evaluation 157, 169
- Looking for text 550-3
- Loops
 - Introduction to 170-7
 - break keyword 174 (see also Keywords > break)
 - Conditions 170-3
 - continue keyword 174, 595
 - Counters 171-4, 181
 - do while loop 170, 177
 - for loop 175
 - Introduction to 170, 175
 - Diagram 172-3
 - Looping through elements 204-7
 - Increment (++) 171
 - Infinite loop 174
 - jQuery implicit iteration 310
 - jQuery .each() method 324
 - Looping through
 - an array 175, 530, 534-7, 542-3
 - checkboxes 580-1
 - DOM elements (nodeList) 204-7, 594-5
 - properties of an object 533, 605
 - radio buttons 582-3
 - Performance 174
 - while loop 170, 176, 181
- Lowercase 128-130
- :lt() (jQuery selector) 340

M

- map() (array object) 530
- Maps (Google maps) 441-7
- Matched set (jQuery) 296-7, 306-9, 338-41, 364
- Math object 134-5
 - Methods
 - ceil(), floor(), random(), round(), sqrt() 134
 - Properties
 - PI 134
- Member operator 50, 103
- method property (DOM property - forms) 572
- Methods
 - Introduction to 32-3, 100-11
 - Calling a method 50, 103
- Minification (.min.js extension) 298
- Modal window 500-5
- Modernizr 414-5, 417, 419, 593, 596-7
- Module pattern 501
- mousedown, mousemove, mouseout, mouseover, mouseup event 246, 276-7
- multiple (DOM property - forms) 584
- Multiplication 76-7, 176-7, 181
- Mutation events 247, 284-5
- MVC / MV* 360, 434-9

N

- name (DOM property - forms) 572-3
- Name/value pairs 28, 88-9, 101, 113, 116-8, 131
- Naming conflicts (collisions) 97, 99, 361
- NaN 78, 132, 461, 483
- navigator object (Browser Object Model) 122, 414, 417-9
- new keyword 71, 106, 109
 - .next() (jQuery method) 336-7, 495
 - .nextAll() (jQuery method) 336
 - nextSibling (DOM property) 208, 210, 214
- NodeLists 196-9
- Nodes (introduction to) 40, 186-7
- nodeValue (DOM property) 184, 214-5, 241
- No JavaScript 491
- Non-blocking processing 371
- .not() (jQuery method) 338, 494-5, 531
- :not() (jQuery selectors) 338-9
- noUiSlider 538, 542-3
- noValidate property (HTML5 forms) 591, 604-5

Number object (Built-in Objects)

- Methods
 - `isNaN()`, `toExponential()`,
`toFixed()`, `toPrecision()` 132-3
- Rounding numbers 132-3

Numbers 62-3

- Random numbers 135
- Rounding 132-3
- Sorting 558

Numeric data type 62 (see also D > Data types)

O

Objects

- Introduction to* 26-9, 34-5, 100-1
- Accessing properties and methods
 - Dot notation 103-5, 110
 - Square brackets 103, 107
- Adding and removing properties 112
- Arrays and objects 118-9, 308, 340, 533
- Built-in objects 120-3
- Creating
 - Comparison of techniques 113
 - Constructor notation 106, 108-111, 113
 - Literal notation 102, 104-5, 113, 142
 - Instances of 109-11
 - Multiple objects 105, 108-111
- Creating your own objects (examples of)
 - Compare functions for sorting 562-3
 - Custom object for valid elements 601, 604-5
 - Data: cameras and projectors 586-7
 - Data: people for filtering 533-4
 - Image cache 509-13
 - Modal window 501-5
 - Tags 544-9
- keys 101-2, 113, 117-8, 131, 533
- Methods 32-5, 38-9, 100-11
- Properties 28-9, 34-5, 100-12
- `this` 114-5
- Updating properties 107
 - vs variables and arrays 116-7
- Object models (*introduction to*) 121
- `.off()` (jQuery method) 505
- `.offset()` (jQuery methods) 351, 353
- `.on()` (jQuery method) 326-31, 343-5, 365
- `onpopstate` property (window object) 426-7
- `.open()` (XMLHttpRequest object) 373, 379, 381, 383

Operators

- `+=` adding to a string 111, 125, 127, 130, 133
- Comparison operators 148-56
 - `>` greater than, `>=` greater than or equal to 151-5
 - `()` grouping operator 97
 - `<` less than, `<=` less than or equal to 151
 - `.` Member operator 50, 103
 - `==` is equal to, `!=` is not equal to 150
 - `===` strict equal to, `!==` strict not equal to 150
 - `?:` Ternary operator 562, 579, 583
 - Unary operator 168
- `<option>` elements 584-7
- options (DOM property - forms) 584
- Order of execution 452
- `.outerHeight()`, (jQuery method) 348
- `.outerWidth()` (jQuery method) 348
- `.overrideMimeType()` (jqXHR method) 405

P

- Page loads - run script 273, 312-3
- `pageXOffset`, `pageYOffset` (window object) 124-5
- `pageX`, `pageY` (window object) 124, 278-9
- Parameters 50, 88, 92-3
 - With event listeners 256-7
- `.parent()` (jQuery method) 336, 498-9
- `.parents()` (jQuery method) 336
- `parentNode` (DOM property) 208, 224-5
- `:password` (jQuery selector) 342
- paste event 247
- Performance
 - Caching
 - DOM queries 190-1, 575
 - Images (custom object) 509-11
 - jQuery selections 308-9, 540-1
 - Object references 540-1
 - Text (custom object) 551
 - Event delegation 266, 268-71, 290-1, 330-1, 365
 - Global vs Local variables 98-9
 - Selecting `class` and `id` attributes (jQuery vs DOM) 324
 - Where to place scripts 356-7
- PI property (Math object) 134
- `placeholder` (and its fallback) 590-1, 594-5
- Polyfills 593-7
- `pop()` (array object) 530
- `.position()` (jQuery method) 351

Position object (geolocation API) 418-9
PositionError object (geolocation API) 418-9
Position of items on page 351-3
\$.post() (jQuery method) 388, 392, 394-6
.prepend() & .prependTo() (jQuery methods) 318
Presentation layer 44
preventDefault() (event object) 262, 267, 283,
.preventDefault() (jQuery method) 328, 345,
365, 494-5, 504-5
previousSibling (DOM property) 208-10
Primitive data types (see Data types)
Progressive enhancement 45
.prop() (jQuery method) 618-9
Properties 28-9, 34-5, 100-12
Protocol relative URL 355
Proxy (Ajax) 384
push() (array object) 519, 530, 536-7, 540, 542-3
pushState() (history object) 424-7, 426

Q

querySelector() (DOM method) 193-6, 202, 241
querySelectorAll() (DOM method) 126, 193, 197

R

:radio (jQuery selector) 342
random() (Math object) 134-5
Random numbers 135
RangeError 459, 461
Range slider 432-3, 538, 542-3
.ready() (jQuery method) 312-3, 361, 364
Reference
 To an element DOM 190-1, 575
 To an element jQuery 308-9, 540-1
 To an object 540-1
ReferenceError 459-60
Regular expressions 563, 611-3
Relative URLs (Ajax) 389
Removing content:
 .remove() (jQuery method) 299, 316-7, 346, 584
 .removeAttr() (jQuery method) 320
 .removeAttribute() (DOM method) 232, 235
 .removeChild() (DOM method) 224-5
 .removeClass() (jQuery method) 320-1, 339,
 341, 512-3
 .removeEventListener() (DOM method) 255
(see also innerHTML and detach())

replace() (String object) 128-130, 406-7, 562-3
replaceState() method (history object) 424-6
.replaceWith() (jQuery method) 316
Require.js 593
:reset (jQuery selector) 342
reset() (DOM method - forms) 572
reset event 247, 572
resize event 246, 272, 504-5
responseText (XMLHttpRequest object) 379, 383, 389
responseXML (XMLHttpRequest object) 380, 389
return keyword 92, 94-7, 578-9, 586-7, 594-5
reverse() (Array object) 530, 564-5
RangeError 459, 461
Rounding numbers 132-5
round() (Math object) 134

S

Same origin policy 420
Saving a script 46
Scope 98-9, 457
 Global scope 98-9, 453-7
 IIFEs 97
 Lexical scope 457
 Local (function-level) scope 98-9, 453
 Naming collisions and namespaces 99, 523
Screen dimensions 124-125, 278, 350
screen object (Browser Object Model) 124-5
 Properties
 height, width 124
 screenX, screenY (window object) 124, 278
<script> element 47
 Conditional loader for scripts 596-597
 When to load 596-7
 Where to place <script> tag 48, 51, 313, 354-7
Scripts
 Approach to writing 16-23
 Definition 14-7
scroll event 246, 272
 .scrollLeft() (jQuery method) 350
 .scrollTop() (jQuery method) 350, 353
Search 550-553
Security: Cross Site Scripting (CSS) Attack 228-231
Select boxes 584-7
select() (DOM method) 573
:selected (jQuery selector) 342
selected (DOM property - forms) 573, 580-3
selectedIndex (DOM property - forms) 584

- selectedOptions (DOM property - forms) 584
- select event 247
- send() (XMLHttpRequest object) 373, 379, 381, 383
- Separation of concerns 490
- .serialize() (jQuery method - forms) 394-5
- Serializing JSON data 382
- sessionStorage 420-3
- setAttribute() (DOM method) 232, 234
- setDate() (Date object) 137
- setFullYear() (Date object) 137
- setHours() (Date object) 137
- setItem() (storage API) 421-3
- setTime() (Date object) 137
- setTimeout() (window object) 517-9
- setMilliseconds() (Date object) 137
- setMinutes() (Date object) 137
- setMonth() (Date object) 137
- setSeconds() (Date object) 137
- shift() (array object) 530
- Short-circuit evaluation 157, 169
- .show() (jQuery method) 332-3, 344, 364
- .siblings() (jQuery method) 336, 548-9
- Slider (content panel) 515-520
- .slideToggle() (jQuery method) 494-5
- some() (array object) 530
- sort() (array object) 530, 533, 554-65
- Sorting 555-6
 - Dates 559
 - Lexicographic sort 554
 - Numbers 554, 558
 - Random order 558
 - Sorting a table 561-6
- split() (String object) 128-130, 546-7, 563, 618-9
- sqrt() (Math object) 134
- src attribute 47
- Stack 454-5
- Statements 56
 - .stop() (jQuery method) 332, 353, 510-1
 - stopPropagation() (DOM event object) 262, 267
 - .stopPropagation() (jQuery method) 328
- Storage objects (storage API) 420-3
- Storing data (compare techniques) 116-7
- String data type 62, 64-5
 - Checking for text 552-3

- String object
 - Methods
 - charAt(), indexOf(), lastIndexOf(), replace(), split(), substring(), trim(), toLowerCase(), toUpperCase() 128-130
 - Properties
 - Length 128-130
- :submit (jQuery selector) 342
- submit() (DOM method - forms) 572
- Submit buttons 578-9
- submit event 247, 271, 282, 572
- substring() (String object) 128-130
- .complete() (jQuery method) 396
- .error() (jQuery method) 396
- .success() (jQuery method) 396
- switch statements 164-165, 291
- Switch value 165
- Synchronous processing 371
- SyntaxError 459-460

T

- Tables
 - Adding rows 542-3
 - Sorting a table 560-5
- .tabs() (jQuery UI method) 431
- Tabs 431, 496-9
- target property (event object) 262-3, 268-9
- Templates 360, 434-9
- Ternary operator 562-3, 579, 583
- Testing for features (see Feature detection)
- test() method 611
 - .text() (jQuery method) 314-7, 364-5, 535
- :text (jQuery selector) 342
- <textarea> 588-9
- textContent (DOM property) 216-7
- this 102-9, 114-5, 270, 324
- throw (error handling) 481-3
- Timers (see Delays)
 - .toArray() (jQuery method) 531
 - toDate() (Date object) 137
 - toExponential() (Number object) 132
 - toFixed() (Number object) 132
 - .toggle() (jQuery method) 332, 493
 - .toggleClass() (jQuery method) 565
 - toLowerCase() (String object) 128-130, 550-3
 - toPrecision() (Number object) 132
 - toString() (Date object) 137

- toTimeString() (Date object) 137
- toUpperCase() (String object) 128-130, 406
- Traversing the DOM 208-11
- trim() (String object) 128-130, 552-3
- Troubleshooting
 - Ajax not working in Chrome (locally) 378
 - Ajax requests: assets not showing up 389
 - Common errors 485 (see also 460-1)
 - Console 464-474
 - Debugging JSON data and objects 474
 - Debugging tips 462-3, 484
 - Equivalent values do not match 166
 - Events firing more than once 260-1
 - IE will not run script locally 47
 - jQuery object only returns data from first element in selection 307
 - NaN 78, 461
 - try... catch 480-1, 576-7
- Truthy and falsy values 167-9
- try (error handling) 480-1, 576-7
- type (DOM property - forms) 573
- type (event object) 262
- Type coercion 166, 168
- TypeError 459, 461

U

- UML (Unified Modeling Language) 494
- undefined 61, 485
- Unix time 136-7
- unload event 246, 272 (see also beforeunload)
- unshift() (array object) 530
- Untrusted data (XSS) 228-31
- .unwrap() (jQuery method) 346
- Updating content (see DOM and jQuery)
- Updating page without refreshing (see Ajax)
- Uppercase 128-130, 406
- URIError 459-460
- URL (get current) 36-9, 124

V

- .val() (jQuery method) 343, 345, 365, 542-3
- Validation (definition) 282, 568
- value (DOM property - forms) 573, 574-5, 578-9

Variables

- Assign a value / assignment operator 61
- Declaration 60
- Definition 58-9
- Naming 60, 69
- Naming conflicts and collisions 97, 99
- Scope 98, 453
- undefined 61, 485
 - vs arrays and objects 116-7
- var keyword 60, 63-8

W

- Weak typing 166-7
- Web Storage API 420-3
- Where to place your scripts 356
- while loop 170, 176, 181
- Whitespace (DOM) 209-211, 237
- width (screen object) 124-5
- .width() (jQuery methods) 348-50
- window object (Browser Object Model) 36-7, 124-5
 - Introduction to 36-7
 - Methods
 - alert(), open(), print() 124
 - Properties
 - innerHeight, innerWidth 124-5
 - location property 36, 124
 - onpopstate 426
 - pageXOffset, pageYOffset 124
 - screenX, screenY 124-5
- write() (document object) 126, 226

XYZ

- XDomainRequest object (IE8-9) 384
- XML 374-5, 380-81
- XMLHttpRequest object
 - Methods
 - open(), send() 372-3
 - Properties
 - responseText 379, 383, 389
 - responseXML 380-2, 389
 - status 373, 378-9, 389
- XSS (Cross Site Scripting) Attacks 228-231

flybikesTM
bmx toys from spain

LEARN HOW TO

Read and write JavaScript
Make your sites more interactive
Use jQuery to simplify your code
Recreate popular web techniques

TECHNIQUES INCLUDE

Slideshows and lightboxes
Improved forms and validation
Using Ajax, APIs, and JSON
Filtering, searching, and sorting

ONLINE SUPPORT

Code samples and practical
exercises available online at:
www.javascriptbook.com
Plus bonus reference materials

Welcome to a nicer way to learn JavaScript & jQuery.
Are you new to JavaScript, or have you added
scripts to your web page but want a better idea
of how they work? Then this book is for you.
We'll not only show you how to read and write
JavaScript, but we'll also teach you the basics of
computer programming in a simple, visual way.
All you need is an understanding of HTML and CSS.
This book will teach you how to make your
websites more interactive, engaging, and usable.
It does this by demonstrating how JavaScript and
jQuery are used on popular sites. In no time at all
you will be able to think and code like a programmer.



FROM THE AUTHOR OF THE BEST-SELLING
HTML & CSS: Design and Build Websites
www.htmlandcssbook.com

WILEY

Web Programming / JavaScript
USA \$39.99 / CAN \$47.99

ISBN 978-1-118-53164-8



9 781118 531648